

Cornerstone Specialty Wood Products, LLC logos, trademarks, etc. may not be used without expressed written permission of Cornerstone Specialty Wood Products – Please refer to Terms of Use page on resindek.com.


However, when you use Cornerstone Specialty Wood Products, LLC logos and trademarks they should be treated as stated below:

Logo

The logo must be used in its original form, with no alterations to design or color scheme. The logo is available in color, black and white and white reversed out of black:









Colors

The two colors used in the Cornerstone logo are PMS 321 Teal and Cool Gray 7





PMS 321 Teal

PMS Cool Gray 7

Cornerstone Specialty Wood Products trademarks are as follows and should always be accompanied by the registered trademark symbol(®):

Xspan[®] Diamond Seal 2™ Invisi-Loc®



Logo and usage standards

Cornerstone Specialty Wood Products, LLC logos, trademarks, etc. may not be used without expressed written permission of Cornerstone Specialty Wood Products – Please refer to Terms of Use page on resindek.com.

However, when you use Cornerstone Specialty Wood Products, LLC logos and trademarks they should be treated as stated below:

Logo

The logo must be used in its original form, with no alterations to design or color scheme. The logo is available in color, black and white and white reversed out of black:

Preferred version






Alternate version



Colors

The color used in the ResinDek® logo is PMS 321 Teal.



PMS 321 Teal

Typesetting Treatment

The word "ResinDek" should always be typed with a capital "R" and a capital "D".

Correct: ResinDek® Incorrect: Resindek Incorrect: resindek

ResinDek® logo display usage standards



Proper Treatment of Panel Types with brand name ResinDek®

The ResinDek® family of flooring includes the following: LD50, LD, MD, HD, MAX, Xspan® and NAF. When typeset these panel designations need to be typed as shown below:

ResinDek® LD50

ResinDek® LD

ResinDek® MD

ResinDek® HD

ResinDek® MAX

ResinDek® Xspan®

ResinDek® NAF (no added formaldehyde) (NAF)



ResinDek® 10-year warranty logo usage standards

The ResinDek® 10-year warranty logo is available for use only as shown below in relationship to the ResinDek® Logo.













More Than Mezzanine Flooring™